

# **1 Apache::PerlRun - Run unaltered CGI scripts under mod\_perl**

## 1.1 Synopsis

```
#in httpd.conf

Alias /cgi-perl/ /perl/apache/scripts/
PerlModule Apache::PerlRun

<Location /cgi-perl>
    SetHandler perl-script
    PerlHandler Apache::PerlRun
    Options +ExecCGI
    #optional
    PerlSendHeader On
    ...
</Location>
```

## 1.2 Description

This module's handler emulates the CGI environment, allowing programmers to write scripts that run under CGI or `mod_perl` without change. Unlike `Apache::Registry`, the `Apache::PerlRun` handler does not cache the script inside of a subroutine. Scripts will be "compiled" every request. After the script has run, it's namespace is flushed of all variables and subroutines.

The `Apache::Registry` handler is much faster than `Apache::PerlRun`. However, `Apache::PerlRun` is much faster than CGI as the fork is still avoided and scripts can use modules which have been pre-loaded at server startup time. This module is meant for "Dirty" CGI Perl scripts which relied on the single request lifetime of CGI and cannot run under `Apache::Registry` without cleanup.

## 1.3 Caveats

If your scripts still have problems running under the `Apache::PerlRun` handler, the `PerlRunOnce` option can be used so that the process running the script will be shutdown. Add this to your `httpd.conf`:

```
<Location ...>
    PerlSetVar PerlRunOnce On
    ...
</Location>
```

## 1.4 See Also

`perl`, `mod_perl`, `Apache::Registry`

## 1.5 Maintainers

Maintainer is the person(s) you should contact with updates, corrections and patches.

- **The documentation mailing list**

## 1.6 Authors

- **Doug MacEachern**

Only the major authors are listed above. For contributors see the Changes file.



## Table of Contents:

1	Apache::PerlRun - Run unaltered CGI scripts under mod_perl	1
1.1	Synopsis	2
1.2	Description	2
1.3	Caveats	2
1.4	See Also	2
1.5	Maintainers	3
1.6	Authors	3